

NOTES

- 2 HOUR FIRE SEPERATION: 8" CMU UP TO ELEVATION OF THE LOWER ROOF.
- 3 HR. FACTORY MUTUAL MAXIMUM FIRESEABLE LOSS WALL: 8" CMU UP TO FORESEABLE LOSS WALL. 8" CMU UP TO RATED 8" THICK MINERAL WOOL FILLED METAL PANEL FROM CMU TO ELEVATION OF FLOW ROOF.
- MINIMUM FRAME FOR DOOR SHALL BE APPROVED AND INSTALLED PER FACTORY MUTUAL REQUIREMENTS.

REV.	DATE	DESCRIPTION
0	07/17/10	ISSUED FOR OVERALL LIFE
1	08/13/10	ISSUED FOR INFORMATION
2	10/5/10	ISSUED FOR CONSTRUCTION
3	11/16/10	ISSUED FOR CONSTRUCTION
4	12/22/10	REVISED AS INDICATED

APPROVED BY: [Signature]

DATE: [Date]

REVISION DESCRIPTION: [Text]

NOTE: [Text]

REV. NO. [Number]

DATE [Date]

BY [Name]

ISSUE CODES: [List]


PROJECT: [Name]

DATE: [Date]

SCALE: [Scale]

PROJECT NO.: [Number]

DRAWING NO.: [Number]




Proj. Mgr.: S. DICKINSON Date: 04/05/2010
 Checker: S. MOODY Draw: Leest C. JONES
 Designer: S. MILLER Scale: 1/8" = 1'-0"
 Jacobs CAD File: A330CA1001.dgn

JACOBS
 Jacobs Engineering Group, Inc.
 1041 Gate Building Road
 Suite 1000
 Cary, NC 27513
 Tel: 866-576-6000 Fax: 866-576-6033
 Firm Registration No.: 000316

CANNONBALL
 Drawing Title:
 NO. 3 MACHINE
 330-PAPER MACHINE AREA
 ARCHITECTURAL
 OPERATING FLOOR PLAN

Client Drawing Number
 Project No. Jacobs Drawing Number
 16MP1900 A-330-C-A1-001 4

DO NOT SCALE - This drawing was generated using Microstation and must not be altered manually.



FLOOR PLAN
 SCALE: 1/8" = 1'-0"

PLANT NORTH